


PA  
3/35  
2002  
(49)

# **Late Pliocene Ostracode Faunas and Paleoceanographic Change in the Sea of Japan**

**Katsura YAMADA**

A dissertation submitted to the Doctoral Program  
in Geoscience, the University of Tsukuba  
in partial fulfillment of the requirements  
for the degree of Doctor of Philosophy in Science

January 2003



03302744

# Contents

Abstract	iii
List of tables	v
List of figures	vi
1. Introduction	1
2. Geological settings and ages of the study area	4
2-1. Himi area	
2-2. Kurokawa area	
2-3. Gojome area	
3. Materials and methods	29
4. Recent ostracode distributions in the Sea of Japan	31
5. Methods, results and interpretations of analyses	38
5-1. Occurrences of the fossil ostracodes	
(1) Himi area	
(2) Kurokawa area	
(3) Gojome area	
5-2. Q-mode cluster analysis	
(1) Cluster I	
(2) Cluster II	
(3) Cluster III	
5-3. Q-mode principal components analysis	
(1) Himi area	
(2) Kurokawa area	
(3) Gojome area	
6. Discussions	94
6-1. Warm water in the Sea of Japan between 2.80 and 2.55 Ma	
6-2. Vertical changes of the paleoceanography in each area	
6-3. Paleodepth fluctuations in the Sea of Japan during late Pliocene	

- 6-4. Bottom conditions in coastal areas of the Sea of Japan during late Pliocene
- 6-5. Moving of the subarctic front southward in late Pliocene
- 6-6. Effect of the global climate related to oxygen isotope stages in coastal areas of the  
Sea of Japan
- 6-7. Oceanographic structures in the Sea of Japan between 2.80 and 2.55 Ma

7. Conclusions	-----121
8. Systematic descriptions and faunal reference lists	-----123
9. Acknowledgment	-----147
10. References	-----149
Plates	-----1~10